

HPD UNIQUE IDENTIFIER: 26025

CLASSIFICATION: 09 25 23 Lime Based Plastering

PRODUCT DESCRIPTION: Armourcoat Polished Plaster is a natural mineral material composed of hydrated lime, crushed marble and cement combined with special additives to control working characteristics. Although essentially of the same composition the four base powders P01, P20, P30 and P66 are made up from different proportions of white, yellow, red and green crushed marble powders. This means a range of natural stone coloured finishes can be achieved without the addition of any pigment.

## Section 1: Summary

## Nested Method / Product Threshold

### CONTENT INVENTORY

Inventory Reporting Format	Threshold level	Residuals/Impurities	<i>All Substances Above the Threshold Indicated Are:</i>
<input checked="" type="radio"/> Nested Materials Method	<input type="radio"/> 100 ppm	Residuals/Impurities	Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Basic Method	<input checked="" type="radio"/> 1,000 ppm	Considered in 12 of 6 Materials	<i>% weight and role provided for all substances.</i>
Threshold Disclosed Per	<input type="radio"/> Per GHS SDS	Explanation(s) provided	Screened <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Material	<input type="radio"/> Other	for Residuals/Impurities?	<i>All substances screened using Priority Hazard Lists with results disclosed.</i>
<input checked="" type="radio"/> Product		<input checked="" type="radio"/> Yes <input type="radio"/> No	Identified <input type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input checked="" type="radio"/> No
			<i>One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.</i>

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**  
**CRUSHED MARBLE POWDER [ CALCIUM CARBONATE BM-3 ]**  
**HYDRATED LIME [ CALCIUM HYDROXIDE LT-P1 ] CEMENT [**  
**PORTLAND CEMENT LT-P1 | CAN | END ] UNDISCLOSED [**  
**UNDISCLOSED NoGS ] UNDISCLOSED [ UNDISCLOSED LT-UNK ]**  
**UNDISCLOSED [ UNDISCLOSED NoGS ]**

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-P1

Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

This Health Product declaration (HPD) was completed in accordance with the HPD Standard Version 2.2 and discloses hazards associated with all substances present at or above 1000 parts per million (ppm) in the finished product along with the role and percentage weight therefore. Therefore, this HPD qualifies for the LEED v4 MR credit Building Product Disclosure and Optimization: Material Ingredient Reporting (Option 1). Substances not "Identified" are those considered proprietary to suppliers, and thus are "Undisclosed" on this HPD.

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

### CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: Eurofins Indoor Air Comfort - certified product

### CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2021-08-26

PUBLISHED DATE: 2021-09-06

EXPIRY DATE: 2024-08-26

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-2-standard](http://www.hpd-collaborative.org/hpd-2-2-standard)

### CRUSHED MARBLE POWDER %: 40.0000 - 70.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Partially MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: Crushed marble with high purity (99 % CaCO<sub>3</sub>). May also be represented by CASRN 471-34-1 (BM-3 | NO). Supplier has confirmed that MgCO<sub>3</sub>, Fe<sub>2</sub>O<sub>3</sub> and SiO<sub>2</sub> are all present at less than 1000 ppm

OTHER MATERIAL NOTES: Marble is predominately Calcium Carbonate but small impurities of Magnesium carbonate (dolomite) may occur along with trace amounts of iron oxide and clay.

### CALCIUM CARBONATE

ID: 471-34-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-08-26 6:44:37

%: 40.0000 - 70.0000 GS: BM-3 RC: PreC NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Crushed marble powder is made from the marble waste from the slab industry which is crushed and graded for use in Terazzo and other mineral plaster products

### HYDRATED LIME %: 10.0000 - 25.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Partially MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: Hydrated lime is primarily Calcium hydroxide but may contain small amounts of Calcium carbonate, Magnesium Hydroxide and trace amounts of clay.

OTHER MATERIAL NOTES:

### CALCIUM HYDROXIDE

ID: 1305-62-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-08-26 6:44:37

%: 10.0000 - 25.0000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Calcium Hydroxide is highly alkaline : Classification according to Directive 67/548/EEC Xi – irritant

### CEMENT %: 5.0000 - 15.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Partially MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: Cement will include small amounts of Calcium Sulfate , Calcium Carbonate and calcined shale

OTHER MATERIAL NOTES:

**PORTLAND CEMENT**

ID: 65997-15-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-08-26 6:44:37**

#: **5.0000 - 15.0000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: Contact with skin may cause irritation , dermatitis and alkali burns.  
Serious risk of damage to the eyes . Always wear gloves and eye protection and in case of contact with the eyes flush with water immediately and seek medical attention.

**UNDISCLOSED**

#: **1.0000 - 4.0000**

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: **Partially** MATERIAL TYPE: **Polymeric Material**

RESIDUALS AND IMPURITIES NOTES: Powder polymer contains small amounts of calcium carbonate as an anti caking agent

OTHER MATERIAL NOTES:

**UNDISCLOSED**

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-08-26 6:44:38**

#: **1.0000 - 4.0000** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Supplier has shared substance name and CASRN under the terms of a non-disclosure agreement ; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder

**UNDISCLOSED**

#: **0.1000 - 0.5000**

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: **Partially** MATERIAL TYPE: **Other: Biological material**

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier disclosure letters, supplier SDS, and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES:

UNDISCLOSED

ID: Undisclosed

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-08-26 6:44:38**

#: **0.1000 - 0.5000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Viscosity modifier**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern)

UNDISCLOSED

#: **0.0400 - 0.1500**

PRODUCT THRESHOLD: **1000 ppm** RESIDUALS AND IMPURITIES CONSIDERED: **Partially** MATERIAL TYPE: **Other: Plant based starch**

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier disclosure letters, supplier SDS, and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES:

UNDISCLOSED

ID: Undisclosed

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-08-26 6:44:39**

#: **0.0400 - 0.1500** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Viscosity modifier**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern)

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

Eurofins Indoor Air Comfort - certified product

CERTIFYING PARTY: Third Party

ISSUE DATE: 2021-08- EXPIRY DATE:

CERTIFIER OR LAB: Eurofins

APPLICABLE FACILITIES: Eurofins Product testing A/S

12

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

### KEYCOAT

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Keycoat is used as a preparatory layer for the P01 Polished Plaster

### K40 PRIMER

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

For use on plasterboard , plaster and other absorbent surfaces to even up and reduce the suction and ensure good adhesion. Se K40 Datasheet for full information.

### ECO WAX

HPD URL: no HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Water based wax emulsion for sealing and protecting the surface of Polished plaster.

### SOAP SEALER

HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Natural soap sealer used for sealing lime based plaster finishes.

## Section 5: General Notes

P01 Polished plaster is a versatile material and is used in a wide variety of Surface finishes such as Smooth , Cloudy , Pitted , Travertine , Dragged , Concrete as well as a large number of custom finishes.

It can be combined with additional crushed marble aggregate for textured finish and can be tinted to a wide range of colours using the Armourcoat Low VOC tints.

**MANUFACTURER INFORMATION**

**MANUFACTURER:** Armourcoat Ltd  
**ADDRESS:** Armourcoat Ltd  
**Unit 2& 3 Morewood Close**  
**Sevenoaks Kent TN132HU, UK**  
**WEBSITE:** www.armourcoat.co.uk

**CONTACT NAME:** Duncan Mackellar  
**TITLE:** Mr  
**PHONE:** +44 1732460668  
**EMAIL:** technical@armourcoat.co.uk

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-UNK</b> List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	
<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)	<b>NoGS</b> No GreenScreen.

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*